

IM150 QUICKSTART



Thank you for purchasing a IM150 light and color meter. Please visit our website to view the user manual, additional information, and instructional videos: www.illuminatiinstruments.com

Installing the batteries and powering on



Open the case



Insert two AAA batteries



Replace the lid, starting with the hook



Press the power button.
LEDs will flash white

Using with an iPhone





Illuminati




1 Install the app.
Search for
"Illuminati Meter"


2 Start the app



3 Turn the meter on




4 Tap
"Scan"
to
connect



5 Tap "Done" to finish

6 Welcome to the Tile screen. Each tile shows key information. Tap a tile to open it. The "+" button lets you add more tiles.





Measuring Exposure

Tap to select exposure mode

Swipe spinners up/down to change settings.

Tap to select metering mode

Enable continuous readings

Device settings

Red spinner shows meter recommendation

Adjust exposure compensation

Enable strobe metering

Take a reading

Measuring Color

Tap to select color mode

Dot shows color temperature and tint

Color temperature reading

Manage filter gel options

Take a reading

Swipe to pan color chart.

Pinch to zoom

Enable continuous readings

Using with an Android Phone





Illuminati



1 Install the app.
Search for
"Illuminati Meter"



2 Start the app



3 Turn the meter on.
Swipe down to start scanning


4

Once detected, meter will connect



5 Tap back arrow to finish

6 Welcome to the Tile screen. Each tile shows key information. Tap a tile to open it. Tap the "+" to add more tiles. There are many types





Measuring Exposure

Tap to select exposure mode →

Swipe spinners up/down to change settings. Tap to select metering mode →

Enable strobe metering →

Enable continuous readings →

Device settings →

ISO	F-number	Shutter speed
160	7	0.3s
200	8	1/4
250	9	1/5

Red spinner shows meter recommendation →

Adjust exposure compensation →

Take a reading →

Measuring Color

Tap to select color readings →

Ambient lighting color temperature →

Ambient color tint in full green/magenta steps →

Enable continuous readings →

Strobe color temperature reading →

Strobe color shift in full magenta/green steps →

Take a reading →


Unbonding the meter from a device

The meter will pair with up to eight devices over Bluetooth. If you experience connection problems or ever need to unbond the meter from a device, use the following procedure:



1. Turn the meter off by holding the power button for 3 seconds.
2. Hold the power button until the LEDs flash purple (About 6 sec)
3. Go to your device's Bluetooth settings and "Forget" (iOS) or "Unpair" (Android) the meter.

Mounting and using accessories



For more product information, please visit our website: www.illuminatiinstruments.com

Copyright 2019, Illuminati Instrument Corp., All rights reserved.

Google Play and the Google Play logo are trademarks of Google LLC. Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries. 2019-11-10 IM150_QSG_rev2